
BIOLOGY

9700/32

Paper 3 Advanced Practical Skills 2

May/June 2018

CONFIDENTIAL INSTRUCTIONS

Great care should be taken to ensure that any confidential information given, including the identity of material on microscope slides where appropriate, does not reach the candidates either directly or indirectly.



If you have any queries regarding these Confidential Instructions, please contact Cambridge stating the Centre number, the nature of the query and the syllabus number quoted above.

email info@cie.org.uk
phone +44 1223 553554
fax +44 1223 553558

This document consists of **8** printed pages.

Instructions for preparing apparatus

These instructions give details of the apparatus required by each candidate for each experiment in this paper. A summary of the questions that will be presented to the candidates is included, where appropriate, to allow the biology teacher to test the apparatus appropriately.

No access to the Question Paper is permitted in advance of the examination.

Candidates must be provided with a microscope with:

- eyepiece lens, $\times 10$ (equal to 16 mm or $\frac{2}{3}$ ")
- low-power objective lens, $\times 10$ (equal to 16 mm or $\frac{2}{3}$ ")
- high-power objective lens, $\times 40$ (equal to 4 mm or $\frac{1}{6}$ ")
- eyepiece graticule fitted within the eyepiece and visible in focus at the same time as the specimen.

To avoid confusion, only the lenses specified above should be fitted in the microscopes to be used in the examination. Any lenses which are **not** $\times 10$ or $\times 40$ should be removed or replaced.

Each candidate must have uninterrupted use of the microscope for at least one hour.

Supervisors are advised to remind candidates that **all** substances in the examination should be treated with caution. Pipette fillers and suitable eye protection should be used where necessary.

In accordance with the COSHH (Control of Substances Hazardous to Health) Regulations, operative in the UK, a hazard appraisal of the examination has been carried out.

The following codes are used where relevant.

C corrosive

HH health hazard


F flammable

N hazardous to the aquatic environment

MH moderate hazard

T acutely toxic

O oxidising



When small test-tubes are provided, it is expected that these are approximately 150 mm in height.

If other dimensions of apparatus are required, these will be specified.

Confidential Instructions**For both questions**

Each candidate will require:

- ruler, marked in mm
- clean and dry apparatus, e.g. glassware and syringes (without needles)
- solutions supplied in suitable beakers or containers for removal of the solutions using syringes
- fresh solutions, materials and rinsing water where appropriate.

More of the solutions should be available if requested by candidates.

If a candidate breaks any of the apparatus or loses any of the materials supplied, the matter should be rectified and a note made in the Supervisor's Report.

Solutions should be disposed of in accordance with local safety regulations.

Question 1

Each candidate will require:

materials and apparatus for each candidate	quantity	✓
[MH] 1.0 mol dm ⁻³ hydrochloric acid in a beaker or container, labelled H , provided at room temperature	at least 100 cm ³	
Distilled water in a beaker or container, labelled W , provided at room temperature	at least 60 cm ³	
A block of agar, containing 0.01 mol dm ⁻³ sodium hydroxide and universal indicator, on a white tile, labelled A (see Preparation of materials)	1	
10 cm ³ syringes, with the means to wash them out	2	
Beakers or containers, capacity 75 cm ³ to 100 cm ³	6	
Container, capacity approximately 200 cm ³ , with tap water, labelled For washing	1	
Container, capacity approximately 200 cm ³ , labelled For waste	1	
Ruler in mm	1	
Blunt forceps	1	
Sharp blade or scalpel or knife	1	
White card, approximately 10 cm × 10 cm	1	
Paper towels	8	
Glass marker pen (permanent)	1	
Stop-clock or timer showing seconds	1	
Suitable eye protection	1	

It is advisable to wear suitable eye protection when handling chemicals.

Preparation of materials

The agar, **A**, may be prepared the day before the examination.
 It is essential that the agar does not dry out after it has set. To prevent drying out the containers may be wrapped in a plastic bag or similar.
 All the materials should be at room temperature before the start of the examination.

- (i) **A**, one block of agar, containing 0.01 mol dm^{-3} sodium hydroxide solution and universal indicator

You are reminded that this contains sodium hydroxide solution so do **not** touch the reagents or the agar blocks.

0.01 mol dm^{-3} sodium hydroxide solution is prepared by dissolving 0.2g of sodium hydroxide **[C]** in 100 cm^3 distilled water and making up to 500 cm^3 with distilled water.

Add 15g of agar ('technical' **not** 'nutrient') to 500 cm^3 of 0.01 mol dm^{-3} sodium hydroxide solution and boil to dissolve the agar. Remove from the heat.

Add 5 cm^3 of universal indicator **[F]** to 500 cm^3 of the hot agar to produce a blue-green colour.

Pour the agar, to a depth of 0.5 cm, into shallow, flat containers. These containers should be at least 1 cm in depth and must be placed on a horizontal flat surface so that the agar sets to an even depth. Keep the agar in cool conditions to set firmly.

Just before the examination, cut the agar into blocks measuring at least $6 \text{ cm} \times 4 \text{ cm} \times 0.5 \text{ cm}$. Cut enough blocks so that each candidate has 1 block at least $6 \text{ cm} \times 4 \text{ cm} \times 0.5 \text{ cm}$, on a white tile, labelled **A**, covered by a damp paper towel.

Question 2

Each candidate will require:

- (i) Microscope with an eyepiece graticule fitted into the eyepiece lens (as described on page 2)

For each candidate:

- the microscope **must** be set up on low power
- the slide must **not** be left on the stage of the microscope.

- (ii) Slide **M1**

On receipt of the slides, please check that they are labelled **M1** and that no slides are broken. The material is **confidential** (so must **not** be disclosed to candidates) and the slides should **not** be viewed in advance of the examination.

The number of slides supplied by Cambridge will be equal to half the candidate entry.

Therefore, half the candidates should start on **Question 2** and the other candidates should start on **Question 1**.

SUPERVISOR'S REPORT

The Supervisor's Report is essential in order to allow the Examiners to assess all candidates as fairly as possible and should always be completed by every Centre.

During the examination, the Supervisor or other competent biologist (not the Invigilator), should follow the steps in **Question 1**, in order to obtain results for **1(a)(vi)**.

The Supervisor should use the same solutions as those provided to the candidates and work **out of the sight of the candidates**.

These results should be written in the Supervisor's Report, **not** on a spare Question Paper.

SEATING PLAN

Provide a **seating plan** of work benches, on separate paper, giving details of the places occupied by the candidates for **each question** using each candidate's number.

The Supervisor's Report and the candidates' seating plan should be enclosed with each packet of scripts.

MATERIALS TO BE SUPPLIED BY CAMBRIDGE

- Slide **M1**

RETURN OF EXAMINATION MATERIALS TO CAMBRIDGE

Immediately after the examination the microscope slides **must** be:

- returned to Cambridge in the containers in which they were received, using the self-adhesive label. The slides must **not** be included in the packet of scripts.

or

- purchased using the order form enclosed with the slides, which should be completed and returned to Cambridge. The order form must **not** be included in the packet of scripts.

Slides and boxes will be charged at the rate of £3 per slide plus £1 per box.

If the items are not returned or purchased by the deadline stated on the order form, they will be charged at £3.50 per slide plus £1 per box.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

This form should be completed and sent with the scripts

SUPERVISOR'S REPORT

May/June 2018

The Supervisor or Teacher responsible for the subject should provide the following information.

- 1 Was any difficulty experienced in providing the necessary materials? If so, give brief details.

- 2 Give details of any difficulties experienced by particular candidates, giving names and candidate numbers. Reference should be made to:
 - (a) difficulties arising from faulty specimens or microscopes;
 - (b) accidents to apparatus or materials;
 - (c) assistance provided in case of colour blindness;
 - (d) any other information that is likely to assist the Examiner, especially if this cannot be discovered from the scripts.

All other cases of individual hardship, e.g. illness or disability, should be reported directly to Cambridge on the normal 'Special Consideration Form' as detailed in the Cambridge Handbook.

- 3 During the examination, the Supervisor or other competent biologist (not the Invigilator) should follow the steps in **Question 1** in order to obtain results for **1(a)(vi)**. The Supervisor should use the same solutions as those provided to the candidates, and work **out of the sight of the candidates**. These results should be written on page 8, which should be enclosed with the candidates' scripts. If the scripts are in several packets, please ensure that a copy of the Supervisor's Report is enclosed with each packet of scripts.

- 4 Enclose a **seating plan** of work benches with the scripts, giving details of the candidate numbers for the places occupied by the candidates for **each question**.

Declaration (to be signed by the Supervisor)

The preparation of this practical examination has been carried out so as to maintain the security of the examination.

Signed

Name (in block capitals)

Centre number (of enclosed scripts)

Centre name

If scripts are despatched in more than one packet, it is essential that **each packet** includes a copy of the:

- relevant Supervisor's Report
- appropriate seating plan(s).

Temperature of examination room °C

Results for **Question 1(a)(vi)**