<div style="border:1px solid black">

Published

</div>

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2022 series for most Cambridge IGCSE, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1: Marks must be awarded in line with: • the specific content of the mark scheme or the generic level descriptors for the question • the specific skills defined in the mark scheme or in the generic level descriptors for the question • the standard of response required by a candidate as exemplified by the standardisation scripts.
GENERIC MARKING PRINCIPLE 2: Marks awarded are always **whole marks** (not half marks, or other fractions).
GENERIC MARKING PRINCIPLE 3: Marks must be awarded **positively**: • marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate • marks are awarded when candidates clearly demonstrate what they know and can do • marks are not deducted for errors • marks are not deducted for omissions • answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.
GENERIC MARKING PRINCIPLE 4: Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

1	Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
2	The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
3	Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
4	The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
5	'List rule' guidance For questions that require *n* responses (e.g. State **two** reasons …): • The response should be read as continuous prose, even when numbered answer spaces are provided. • Any response marked *ignore* in the mark scheme should not count towards *n*. • Incorrect responses should not be awarded credit but will still count towards *n*. • Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response. • Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

6	Calculation specific guidance
	Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.
	For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.
	For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.
	Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.
7	Guidance for chemical equations
	Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.
	State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same marking point
R	reject
A	accept
I	ignore
AVP	any valid point
AW	alternative wording (where responses vary more than usual)
ecf	error carried forward
<u>underline</u>	actual word underlined must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument
mp	marking point

Question	Answer	Marks
1(a)(i)	1 0.5%, 0.25%, 0.125%, 0.0625% (labels under the correct sequence of beakers) ; 2 shows transfer of 10 cm^3 to each of the four beakers ; 3 shows addition of 10 cm^3 to each of the four beakers ;	**3**

1(a)(ii)	1 *heading for independent variable:*
	     concentration of reducing sugar <u>and</u> percentage (concentration) or % ;
	2 *heading for dependent variable:*
	     time <u>and</u> s or seconds <u>and</u> no units in the body of the table ;
	3 records times for each concentration ;
	4 results record the correct trend ;
	5 results recorded as whole seconds ;
		5

1(a)(iii)	difficult to judge the time to the first colour change ;	**1**
1(a)(iv)	repeat experiment three times <u>and</u> calculate the mean ;	**1**
1(a)(v)	records time for **U** <u>and</u> units ;	**1**
1(a)(vi)	estimates concentration of reducing sugars in **U** from results in **(a)(ii)** and **(a)(v)** ; reference to sucrose being hydrolysed to fructose and glucose so only half of reducing sugars is fructose ;	**2**

1(b)(i)	1 x-axis: concentration of sucrose solution / mol dm^{-3}
	     <u>and</u>
	     y-axis : change in mass / g ;
	2 scale on x-axis: 0.2 to 2 cm, labelled at least every 2 cm
	     <u>and</u>
	     y-axis: 0.2 to 2 cm, labelled at least every 2 cm ;
	3 correct plotting of all points using small crosses or small dots in circles ;
	4 plots joined with the lines passing through all points <u>and</u> line is either a smooth curve or joined plot to plot ;
		4

Question	Answer	Marks
1(b)(ii)	1 the potato piece in 0.4 mol dm^{-3} stayed the same mass because the water potential in the cells was equal to the solution ; 2 the potato piece in 1.0 mol dm^{-3} lost mass because the water potential in the cells was higher than the surrounding solution so water moved out of the cells ; 3 correct reference to osmosis ; *must have difference <u>and</u> explanation for mp1 and mp2*	3

Question	Answer	Marks
2(a)(i)	1 uses most of the available space <u>and</u> draws at least two layers of tissue ; 2 draws whole root <u>and</u> no cells ; 3 draws at least two layers around the vascular tissue in the centre of the root ; 4 label line and label to the epidermis ;	4
2(a)(ii)	1 uses most of the available space <u>and</u> all the lines sharp and continuous ; 2 draws only four cells <u>and</u> each cell touching at least two other cells ; 3 cell wall drawn as two lines <u>and</u> three lines where cells touch ; 4 correct proportions of the cells ; 5 label line <u>and</u> label to one cell wall ;	5
2(b)	records only differences ; *any **three** correct differences from e.g.:* <table><tr><th>feature</th><th>M1</th><th>Fig. 2.1.</th></tr><tr><td>epidermis</td><td>thinner</td><td>thicker ;</td></tr><tr><td>cortex</td><td>wider</td><td>narrower ;</td></tr><tr><td>endodermis</td><td>present</td><td>absent ;</td></tr><tr><td>central tissue</td><td>parenchyma cells</td><td>xylem vessels ;</td></tr></table>	4

Question	Answer	Marks
2(c)(i)	1 correct measurement of the scale bar <u>and</u> correct measurement of the line **X–Y** ; 2 to find the magnification, shows the length of the scale bar divided by 3.4 <u>and</u> shows the length of the line **X–Y** divided by the figure for the magnification ; 3 correct answer with the appropriate units ;	**3**
2(c)(ii)	shows the diameter of the root divided by 2 ; records the answer to area in μm^2 or mm^2 or cm^2 ;	**2**
2(c)(iii)	the root section is not a true circle /AW ;	**1**
2(c)(iv)	take more measurements of the diameter at different points <u>and</u> calculate the mean ;	**1**