



Cambridge International AS & A Level

CHEMISTRY

9701/31

Paper 3 Advanced Practical Skills 1

October/November 2021

CONFIDENTIAL INSTRUCTIONS

This document gives details of how to prepare for and administer the practical exam.

The information in this document and the identity of any materials supplied by Cambridge International are confidential and must NOT reach candidates either directly or indirectly.

The supervisor must complete the report at the end of this document and return it with the scripts.

INSTRUCTIONS

- If you have any queries regarding these confidential instructions, contact Cambridge International stating the centre number, the syllabus and component number and the nature of the query.
email info@cambridgeinternational.org
phone +44 1223 553554

This document has **8** pages. Any blank pages are indicated.



General information about practical exams

Centres must follow the guidance on science practical exams given in the *Cambridge Handbook*.

Safety

Supervisors must follow national and local regulations relating to safety and first aid.

Only those procedures described in the question paper should be attempted.

Supervisors must inform candidates that materials and apparatus used in the exam should be treated with caution. Suitable eye protection should be used where necessary.

The following hazard codes are used in these confidential instructions, where relevant:

C	corrosive	MH	moderate hazard
HH	health hazard	T	acutely toxic
F	flammable	O	oxidising
N	hazardous to the aquatic environment		

Hazard data sheets relating to substances used in this exam should be available from your chemical supplier.

Before the exam

- The packets containing the question papers must **not** be opened before the exam.
- It is assumed that standard school laboratory facilities, as indicated in the *Guide to Planning Practical Science*, will be available.
- Spare materials and apparatus for the tasks set must be available for candidates, if required.

During the exam

- It must be made clear to candidates at the start of the exam that they may request spare materials and apparatus for the tasks set.
- Where specified, the supervisor **must** perform the experiments and record the results as instructed. This must be done **out of sight** of the candidates, using the same materials and apparatus as the candidates.
- Any assistance provided to candidates must be recorded in the supervisor's report.
- If any materials or apparatus need to be replaced, for example, in the event of breakage or loss, this must be recorded in the supervisor's report.

After the exam

- The supervisor must complete a report for each practical session held and each laboratory used.
- Each packet of scripts returned to Cambridge International must contain the following items:
 - the scripts of the candidates specified on the bar code label provided
 - the supervisor's results relevant to these candidates
 - the supervisor's reports relevant to these candidates
 - seating plans for each practical session, referring to each candidate by candidate number
 - the attendance register.

Specific information for this practical exam

During the exam, the supervisor (**not** the invigilator) must do all the experiments and record the results on a spare copy of the question paper, clearly labelled 'supervisor's results'.
If chemicals are prepared in more than one batch, clearly labelled supervisor's results must be provided for each batch. The candidates using each batch must be listed on the supervisor's report.

Apparatus

The apparatus listed must be provided to each candidate.

1 × 50 cm³ burette
 1 × 25 cm³ pipette
 1 × pipette filler
 1 × burette stand and clamp
 1 × funnel (for filling burette)
 1 × white tile
 2 × 150 cm³ or 250 cm³ conical flask
 1 × 100 cm³ beaker
 1 × 250 cm³ beaker
 1 × 250 cm³ volumetric flask
 1 × crucible with lid (approximate capacity 15 cm³)
 1 × crucible tongs
 1 × pipe-clay triangle
 1 × tripod
 1 × gauze
 1 × Bunsen burner
 1 × heatproof mat
 1 × spatula
 1 × glass rod
 8 × test-tube*
 1 × boiling tube
 1 × test-tube holder
 1 × test-tube rack
 1 × stop-clock to measure to an accuracy of 1 second
 2 × teat/dropping pipette
 1 × wash bottle of distilled water
 1 × pen suitable for labelling glassware
 paper towels
 access to a balance weighing to at least 0.1 g
 red and blue litmus papers
 aluminium foil for testing nitrate/nitrite
 wooden splints
 the apparatus normally used in the centre for use with limewater in testing for carbon dioxide

*Candidates are expected to rinse and reuse test-tubes and boiling tubes where possible. Additional tubes should be available.

Where balance provision is limited, some candidates should be instructed to start the exam with different questions. See the current syllabus for balance: candidate ratio.

Materials

The materials listed in the table must be provided to each candidate.

label	per candidate	identity	notes
FA 1 [MH]	1.8–2.2 g	hydrated sodium carbonate	1.8 g–2.2 g of $\text{Na}_2\text{CO}_3 \cdot 10\text{H}_2\text{O}$ [MH] supplied in a stoppered container.
FA 2 [C]	50 cm ³	1.00 mol dm ⁻³ sodium hydroxide	Dissolve 40.0 g NaOH [C] in each dm ³ of solution.
FA 3	120 cm ³	0.0500 mol dm ⁻³ sulfuric acid	Dilute 1.00 mol dm ⁻³ H_2SO_4 [MH] (prepared as the current syllabus) 50.0 cm ³ in each dm ³ of solution.
FA 5	20 cm ³	0.10 mol dm ⁻³ barium chloride	See preparation instructions in the current syllabus.
FA 6 [MH]	20 cm ³	1.0 mol dm ⁻³ sulfuric acid	See preparation instructions in the current syllabus.
FA 7 [C]	20 cm ³	1.0 mol dm ⁻³ sodium hydroxide	See preparation instructions in the current syllabus. 2 mol dm ⁻³ , dilute 500 cm ³ for each dm ³ .
FA 8 [MH]	20 cm ³	1.0 mol dm ⁻³ methanoic acid	Dilute 46.0 g of HCOOH [C] in each dm ³ of solution.
bromophenol blue indicator [F][MH][HH]	10 cm ³	bromophenol blue indicator	See preparation instructions in the current syllabus.
magnesium chloride	10 cm ³	0.5 mol dm ⁻³ magnesium chloride	Dissolve 47.5 g MgCl_2 or 101.5 g $\text{MgCl}_2 \cdot 6\text{H}_2\text{O}$ in each dm ³ of solution.
sodium carbonate	10 cm ³	0.5 mol dm ⁻³ sodium carbonate	Dissolve 53.0 g Na_2CO_3 [MH] or 143.0 g $\text{Na}_2\text{CO}_3 \cdot 10\text{H}_2\text{O}$ [MH] in each dm ³ of solution.
ammonium chloride [MH]	0.5 g	ammonium chloride	Provide approximately 0.5 g NH_4Cl [MH] in a stoppered container.
copper(II) sulfate [C][N]	10 cm ³	0.2 mol dm ⁻³ copper(II) sulfate	Dissolve 49.9 g of $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ [C][MH][N] in each dm ³ of solution.
magnesium [F]	2 × 1 cm lengths	magnesium ribbon	2 × approximately 1 cm lengths of Mg ribbon [F]

label	per candidate	identity	notes
dilute hydrochloric acid	10 cm ³	2.0 mol dm ⁻³ HCl	<p>See preparation instructions in the current syllabus.</p> <p>If necessary, each of these reagents can be provided as a communal supply for groups of up to 6 candidates.</p> <p>Invigilators must be alert to the risk of contamination and the opportunity for malpractice when using a communal supply.</p>
dilute nitric acid [C]	10 cm ³	2.0 mol dm ⁻³ HNO ₃	
dilute sulfuric acid [MH]	10 cm ³	1.0 mol dm ⁻³ H ₂ SO ₄	
aqueous ammonia [C][MH][N]	10 cm ³	2.0 mol dm ⁻³ NH ₃	
aqueous sodium hydroxide [C]	10 cm ³	2.0 mol dm ⁻³ NaOH	
aqueous barium chloride or aqueous barium nitrate	10 cm ³	0.1 mol dm ⁻³ BaCl ₂ or 0.1 mol dm ⁻³ Ba(NO ₃) ₂	
limewater [MH]	10 cm ³	saturated aqueous calcium hydroxide, Ca(OH) ₂	
aqueous silver nitrate	10 cm ³	0.05 mol dm ⁻³ AgNO ₃	
aqueous acidified potassium manganate(VII) [MH]	10 cm ³	0.01 mol dm ⁻³ KMnO ₄ in 0.5 mol dm ⁻³ H ₂ SO ₄	

- An excess of at least 10% of each material must be prepared to cover accidental loss.
- All solutions must be thoroughly mixed.
- If you are unable to source any of these chemicals, you must contact Cambridge International as far as possible in advance of the exam for advice.
- **Materials must be labelled only as specified in the 'label' column. The identities of chemicals labelled with letter codes, e.g. FA 1, may be different from their descriptions in the question paper. Candidates must use the descriptions given in the question paper.**

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

Supervisor's report

Syllabus and component number

				/		
--	--	--	--	---	--	--

Centre number

--	--	--	--	--

Centre name

Time of the practical session

Laboratory name/number

Give details of any difficulties experienced by the centre or by candidates (include the relevant candidate names and candidate numbers).

You must include:

- any difficulties experienced by the centre in the preparation of materials
- any difficulties experienced by candidates, e.g. due to faulty materials or apparatus
- any specific assistance given to candidates.

If chemicals have been prepared in more than one batch, list the candidates using each batch.

Declaration

- 1 Each packet that I am returning to Cambridge International contains all of the following items:
 - the scripts of the candidates specified on the bar code label provided
 - the supervisor's results relevant to these candidates
 - the supervisor's reports relevant to these candidates
 - seating plans for each practical session, referring to each candidate by candidate number
 - the attendance register.
- 2 Where the practical exam has taken place in more than one practical session, I have clearly labelled the supervisor's results, supervisor's reports and seating plans with the time and laboratory name/number for each practical session.
- 3 I have included details of difficulties relating to each practical session experienced by the centre or by candidates.
- 4 I have reported any other adverse circumstances affecting candidates, e.g. illness, bereavement or temporary injury, directly to Cambridge International on a *special consideration form*.

Signed (supervisor)

Name (in block capitals)