



SC1100412

991 ES

525023

Centre Number	Candidate Number
Syllabus Title MATHEMATICS	
Syllabus Number 9709	Paper Number 32
Name (in Block Letters) Script 2 Paper 32	
Signature	
Date 19th May - 2015	

Answer Book

Instructions to Candidates

1. Insert the information required in the spaces on the left.
2. Use both sides of the paper.
3. Write the question number in the left-hand margin.
4. Rule a line across the page after each question.
5. Do all the rough work in this answer book and cross it through, without making it illegible. No part of this book is to be torn out.
6. Check that you have inserted the information required on each supplementary sheet.

0/17
1
2
3
4
5
6
7
8
9
10
11



UNIVERSITY of CAMBRIDGE
International Examinations

Q1-

$$\int_0^{\pi/2} \ln(1 + \sin x) dx$$

$$h = \frac{\frac{1}{2}\pi - 0}{3} = \frac{1}{6}\pi$$

$$= \frac{h}{2} (f(a) + 2f(a+h) + 2f(a+2h) + f(b))$$

$$= \frac{\pi/6}{2} (f(0) + 2f(\pi/6) + 2f(\pi/3) + f(\pi/2))$$

$$= \frac{1}{12}\pi (0 + 0.811 + 1.247 + 0.230)$$

$$= 0.60 \text{ unit}^2$$

Q2-

$$u = 4^x$$

$$u + 4^2 = 4^{x+2}$$

$$u = 4^{x+2} - 4^2$$

$$u =$$

$$u + 4^2 = u^3$$

$$u - u^3 = 4^2$$

$$u(1 - u^2) = 4^2$$

$$u = 4^2$$

$$4^x = 4^2$$

$$x = 2$$

$$x \ln 4 + 2 \ln 4 = x + 2 \ln 4$$

$$\ln 4 (x + 2) = \ln(4) (x + 2)$$

on extra
sheet

$$1 - 4^{2x} = 4^2$$

$$\ln \left(\frac{1}{4^{2x}} \right) = \ln e^{4^2}$$

$$\frac{1}{4^{2x}} =$$

Q3-

$$y = \cos x \cos 2x$$

$$u = \cos x \quad u' = -\sin x$$

$$v = \cos 2x \quad v' = -2 \sin 2x$$

$$\frac{dy}{dx} = uv' + vu'$$

$$0 = (\cos x)(-\sin x) + (\cos 2x)(-\sin 2x)$$

~~$$0 = -\sin x (\cos x + \cos 2x)$$~~

~~$$0 = \cos x (-\sin x) + \cos 2x$$~~

~~$$0 = \cos x (-\sin x) + \cos 2x (-2 \sin 2x)$$~~

~~$$0 = \cos x + \cos 2x (-2 \sin 2x \cos x)$$~~

~~$$0 = -\sin x$$~~

~~$$0 = -\cos x \sin x - \cos 2x \sin 2x$$~~

~~$$= -\cos x (\sin x + \cos x \sin 2x)$$~~

~~$$0 = -\cos x \sin x$$~~

$$1 - \cos x \sin x = 0$$

$$\cos x \sin x = -1$$

on extra sheet

Q4 i- $3 \sin \theta + 2 \cos \theta = R(\sin \theta \cos a + \cos \theta \sin a)$

$$3 = R \cos a$$

$$2 = R \sin a$$

$$\frac{3}{R} = \cos a$$

$$\frac{2}{R} = \sin a$$

$$\begin{aligned} \text{Hyp}^2 &= p^2 + b^2 \\ \sqrt{\text{Hyp}^2} &= \sqrt{(3)^2 + (2)^2} \\ R &= \sqrt{13} \end{aligned}$$

$$\frac{2}{\sqrt{13}} = \sin a$$

$$\sin^{-1}\left(\frac{2}{\sqrt{13}}\right) = a$$

$$33.69^\circ = a$$

ii


$$\sqrt{13} \sin(\theta + 33.69) = 1$$

$$\theta + 33.69 = \sin^{-1}\left(\frac{1}{\sqrt{13}}\right)$$

$$\theta + 33.69 = 16.1$$

$$\theta = -17.59$$

$$197.6, 342.4$$



Q5- Circumference = $2\pi r$

$$S = r\theta$$

$$= 2\pi r$$

Shaded region perimeter

$$\tan\theta r + \tan\theta r + 2xr = 2\pi r$$

$$2\tan\theta r + 2xr = 2\pi r$$

$$2r(\tan\theta + x) = 2\pi r$$

$$\tan\theta = \pi - x$$

$$\tan x = \pi - x \rightarrow \text{shown}$$

ii- $f(x) = \pi - x - \tan x$

$$f(1) = \pi - 1 - \tan(1)$$

$$= 0.584$$

$$f(1.3) = \pi - 1.3 - \tan(1.3)$$

$$= -1.76$$

root lies between these two points
because the sign is changed.

iii- $x_{n+1} = \tan^{-1}(\pi - x)$

$$x_1 = 1$$

$$1.1339$$

$$1.0643$$

$$1.1221$$

$$1.1116$$

$$1.1132$$

$$\text{root} = 1.11$$

Q6-

$$I = \int_0^1 \frac{\sqrt{x}}{2 - \sqrt{x}}$$

$$u = 2 - \sqrt{x}$$

new limits $u = 2 - \sqrt{x} = 1$

$$(\sqrt{x})^2 = (2 - u)^2$$

$$x = (2 - u)^2$$

new limits $2 - \sqrt{0} = 2$

$$\frac{dx}{du} = -2(2 - u)$$

$$dx = -2(2 - u) du$$

$$\int_1^2 \frac{2 - u}{2 - (2 - u)} \cdot -2(2 - u) du$$

$$\int_1^2 \frac{2(2 - u)^2}{2 - 2 + u} du$$

$$\int_1^2 \frac{2(2 - u)^2}{u} du \quad \text{shown}$$

ii

$$\frac{2(2 - u)^{2+1}}{(-1)(-1)(2+1)} \cdot u$$

$$= \frac{2(2 - u)^3}{-3} \Big|_1^2$$

$$= \left| \frac{2(2 - u)^3}{-3} \right|_1^2$$

ii-

$$\int_1^2 \frac{2(2-u)^2}{u} du$$

$$\left(-4(2-u) \ln(u) \right) \Big|_1^2$$

$$\left| +4(2-0) \ln(2) \right| - \left| -4(2-1) \ln(1) \right|$$

$$\left| 8 \ln 2 \right| - \left| +4 + 1 \right|$$

$$8 \ln 2 - 5$$

shown

Q7-

$$(\sqrt{-1 + 4\sqrt{3}i})^2 = (x + iy)^2$$

$$\begin{aligned} -1 + 4\sqrt{3}i &= (x + iy)(x + iy) \\ -1 + 4\sqrt{3}i &= x^2 + 2ixy + i^2y^2 \\ -1 + 4\sqrt{3}i &= x^2 + 2ixy - y^2 \end{aligned}$$

$$-1 = x^2 - y^2 \quad \text{--- (i)}$$

$$\frac{4\sqrt{3}}{\sqrt{3}} = \frac{2xy}{2} \quad \text{--- (ii)}$$

$$4\sqrt{3} = 2xy$$

$$2\sqrt{3} = y$$

$$2\sqrt{3} = y$$

(iii)

$$\begin{aligned} -1 &= x^2 - (2\sqrt{3})^2 \\ -1 + 12 &= x^2 \\ \sqrt{11} &= \sqrt{x^2} \\ \sqrt{11} &= x \end{aligned}$$

$$-1 = x^2 - \left(\frac{2\sqrt{3}}{x}\right)^2$$

$$-1 = x^2 - \frac{12}{x^2}$$

$$-1 = \frac{x^4 - 12}{x^2}$$

$$-x^2 = x^4 - 12$$

$$x^4 + x^2 - 12 = 0$$

$$x^2 + 4x^2 - 3x^2 - 12 = 0$$

$$x(x+4) - 3(x+4) = 0$$

$$(x-3)(x+4) = 0$$

$$x = 3$$

$$x = -4$$

$$-1 = (3)^2 - y^2$$

$$-1 - 9 = -y^2$$

$$-10 = -y^2$$

$$\sqrt{10} = \sqrt{y^2}$$

$$\sqrt{10} = y$$

$$-1 = (-4)^2 - y^2$$

$$-1 - 16 = -y^2$$

$$\sqrt{17} = \sqrt{y^2}$$



$$\sqrt{17} = y$$

roots

$$3 + \sqrt{10}i$$

$$-4 + \sqrt{17}i$$

ii-



$$z = (2 + 4i)$$

$$z = (-1 - 2i)$$

$$z - u = 1$$

$$\frac{z - (-1 + 4\sqrt{3}i)}{z} = 1$$

arg of z

$$\theta = \tan^{-1} \left[\frac{4\sqrt{3}}{1} \right]$$

$$\theta = \tan^{-1} 4\sqrt{3}$$

$$\textcircled{Q8} - \frac{5x^2 + x + 6}{(3-2x)(x^2+4)} = \frac{A}{3-2x} + \frac{Bx+C}{x^2+4}$$

$$5x^2 + x + 6 = A(x^2+4) + (Bx+C)(3-2x)$$
$$x=0$$

$$6 = A(4) + (C)(3)$$

$$6 = 4A + 3C$$

(i)

$$x=1$$

$$5+1+6 = A(5) + (B+C)(1)$$

$$12 = 5A + B + C$$

(ii)

$$x=2$$

$$28 = A(6) + (2B+C)(-1)$$

$$28 = 6A - 2B - C$$

(iii)

$$C = 12 - 5A + B$$

$$28 = 6A - 2B - (12 - 5A + B)$$

$$28 = 6A - 2B - 12 - 5A - B$$

$$40 = 11A - 3B$$

$$x=3$$

$$12 - 5A + B$$

$$-B - 12 = A$$

$$-5$$

$$54 = 18A + (3B+C)(-3)$$

$$54 = 18A - 9B - 3C$$

$$n = 3$$

$$54 = 13A - 9B - 3(12 - 5A + B)$$

$$54 = 13A - 9B - 36 + 15A - 3B$$

$$90 = 28A - 12B$$

$$\frac{40 + 3B}{11} = A$$

$$90 = 28\left(\frac{40 + 3B}{11}\right) - 12B$$

$$90 = \frac{1120 + 84B}{11} - 12B$$

$$990 = 1120 - 48B$$

$$\neq 130 = \neq 48B$$

$$\frac{65}{24} = B$$

$$n = -2$$

$$24 = 8A + (-2B + C)(-1)$$

$$24 = 8A + 2B - C$$

①

$$x = 1$$

$$12 = 5A + B + C - 5(1) - 8(1) \quad \text{--- (i)}$$

$$x = 2$$

$$28 = 16A - 2B - C \quad \text{--- (ii)}$$

$$x = -2$$

$$24 = 8A + 2B - C \quad \text{--- (iii)}$$

$$C = 8A + 2B - 24$$

$$12 = 5A + B + 8A + 2B - 24$$

$$12 = 13A + 3B - 24$$

$$36 = 13A + 3B$$

$$\frac{9}{4} = A$$

~~$$28 = 16\left(\frac{9}{4}\right) - 2B - 8\left(\frac{9}{4}\right) + 2B - 24$$~~

~~$$28 = 144 - 2B - 18 - 2B - 24$$~~

$$28 = 16\left(\frac{9}{4}\right) - 2B - 18 - 2B + 24$$

$$28 = 36 - 4B + 6$$

$$14 = 4B$$

$$\frac{7}{2} = B$$

446472

A D D I T I O N A L**Answer Book**

Centre Number	Candidate Number
Syllabus Title MATHEMATICS	
Syllabus Number 9709	Paper Number 32
Name (in Block Letters)	
Signature	
Date 19th May 2015	

Instructions to Candidates

1. Insert the information required in the spaces on the left.
2. Use both sides of the paper.
3. Write the question number in the left-hand margin.
4. Rule a line across the page after each question.
5. Do all the rough work in this answer book and cross it through, without making it illegible. No part of this book is to be torn out.
6. Check that you have inserted the information required on each supplementary sheet.



Q9-

$$\frac{dx}{dt} = \frac{xe^{-t}}{k+e^{-t}}$$

$$\int \frac{1}{x} dx = \int \frac{e^{-t}}{k+e^{-t}} dt$$

$$\int \frac{1}{x} dx = \int \frac{e^{-t}}{k+e^{-t}} dt$$

$$\ln|x| = -\ln|k+e^{-t}|$$

$$x=10 \quad t=0$$

$$\ln|10| = -\ln|k+e^{-0}|$$

$$\cancel{\ln}|10| = -\cancel{\ln}|k+1|$$

$$10 = -k - 1$$

$$10 + 1 = -k$$

$$-11 = k$$

ii-

$$\ln|x| = -\ln\left|k + \frac{1}{e^t}\right|$$

$$\cancel{\ln}|20| = -\cancel{\ln}\left|k + \frac{1}{e^2}\right|$$

$$20 = -k - \frac{1}{e^2}$$

$$e^2(20) = -e^2k - 1$$

$$e = -2k - 1$$

$$1 - \frac{2}{e} = k$$

iii- $\vec{OA} = 2i - j + 3k$ $\vec{OB} = i + j + 5k$
 $L = i + j + 2k + \mu(3i + j - k)$

$$\vec{AB} = \vec{OB} - \vec{OA}$$

$$= \begin{bmatrix} 1 \\ 1 \\ 5 \end{bmatrix} - \begin{bmatrix} 2 \\ -1 \\ 3 \end{bmatrix} = \begin{bmatrix} -1 \\ 2 \\ 2 \end{bmatrix}$$

$$r = 2i - j + 3k + s(-i + 2j - 2k)$$

$$\begin{bmatrix} 1 + 3\lambda \\ 1 + \lambda \\ 2 - \lambda \end{bmatrix} = \begin{bmatrix} 2 - s \\ -1 + 2s \\ 3 - 2s \end{bmatrix}$$

$$1 + 3\lambda - 2 = -s$$

$$1 - 3\lambda = s$$

$$1 + \lambda = -1 + 2(1 - 3\lambda)$$

$$1 + \lambda = -1 + 2 - 6\lambda$$

$$1 + \lambda = 1 - 6\lambda$$

$$7\lambda = 0$$

$$7\lambda = 0$$

$$\lambda = 0$$

$$1 = -1 + 2s$$

$$\frac{2}{2} = \frac{2}{2}$$

$$1 = s$$

$$2 - 0 = 3 - 2$$

$$2 \neq 1$$

L does not intersect

$$n = \begin{vmatrix} i & j & k \\ 3 & 1 & -1 \\ -1 & 2 & -2 \end{vmatrix}$$

$$= i \begin{vmatrix} 1 & -1 \\ 2 & -2 \end{vmatrix} - j \begin{vmatrix} 3 & -1 \\ -1 & -2 \end{vmatrix} + k \begin{vmatrix} 3 & 1 \\ -1 & 2 \end{vmatrix}$$

$$= i | 2 + 2 | - j | -6 - 1 | + k | 6 + 1 |$$

$$= 4i + 7j + 7k$$

$$r \cdot n = a \cdot n$$

$$\begin{pmatrix} x \\ y \\ z \end{pmatrix} \cdot \begin{pmatrix} 4 \\ 7 \\ 7 \end{pmatrix} = \begin{pmatrix} 2 \\ -1 \\ 3 \end{pmatrix} \cdot \begin{pmatrix} 4 \\ 7 \\ 7 \end{pmatrix}$$

$$4x + 7y + 7z = 8 - 7 + 21$$

$$4x + 7y + 7z = 22$$

446372

A D D I T I O N A L**Answer Book**

Centre Number	Candidate Number
Syllabus Title MATHEMATICS	
Syllabus Number 9709	Paper Number 32
Name (in Block Letters)	
Signature	
Date 19th May - 2015	

Instructions to Candidates

1. Insert the information required in the spaces on the left.
2. Use both sides of the paper.
3. Write the question number in the left-hand margin.
4. Rule a line across the page after each question.
5. Do all the rough work in this answer book and cross it through, without making it illegible. No part of this book is to be torn out.
6. Check that you have inserted the information required on each supplementary sheet.



Q2-

$$4^x + 4^2 = 4^{x+2}$$

$$u + 4^2 = 4^{x+2}$$

$$u = 4^{x+2} - 4^2$$

$$55824^x$$

$$\ln u = x \ln 4$$

$$\ln u = \ln 4^x$$

$$\ln u = \ln \left(\frac{4^{x+2}}{4^2} \right)$$

$$\ln 4^x = \ln \left(\frac{4^{x+2}}{4} \right)$$

$$18^x = 4^{x+2}$$

$$4^x = 4^{x+2}$$

$$2x = x + 2$$

$$2x - x = 2$$

$$x = 2$$

Q3-

$$y = \cos x \cos 2x$$

$$u = \cos x \quad u' = -\sin x$$

$$v = \cos 2x \quad v' = -2 \sin 2x$$

$$\frac{dy}{dx} = uv' + vu'$$

$$= -2 \sin 2x (\cos x) + \cos 2x (-\sin x)$$

$$= -2 \sin 2x \cos x - \sin x \cos 2x$$

$$= -2 \sin x$$

$$= -\sin x (2 \sin x \cos x - \cos 2x)$$

$$0 = -\sin x$$

$$x = 0$$

$$(2 \sin x \cos x - \cos 2x) = 0$$

$$\cos x (2 \sin x - \cos x) = 0$$

$$\cos x = 0$$

$$x = 90$$

$$2 \sin x = \cos x$$

$$\frac{\sin x}{\cos x} = \frac{1}{2}$$

$$\tan x = \frac{1}{2}$$

$$x = \tan^{-1}\left(\frac{1}{2}\right)$$

$$x = 26.6$$

Q8

continue

$$C = 8\left(\frac{9}{4}\right) + \cancel{7}\left(\frac{7}{\cancel{2}}\right) - 24$$

$$= 18 + 7 - 24$$

$$C = 1$$

$$\frac{5x^2 + x + 6}{(3-2x)(x^2+4)} = \frac{9}{4(3-2x)} + \frac{\frac{7}{2}x + 1}{x^2+4}$$

$$= \frac{9}{4(3-2x)} + \frac{7x+2}{2(x^2+4)}$$

$$\text{Q 8 ii} - \frac{9}{4(3-2x)} + \frac{7x+2}{2(x^2+4)}$$

$$\frac{9}{(4)(3)(1-\frac{2x}{3})}$$

$$(1-\frac{2x}{3})$$

$$(1)^{-1} + (1)^{-1} (-1) (-\frac{2x}{3}) + \frac{(-1)(-1-1)(-\frac{2x^2}{3})}{2!}$$

$$1 + \frac{2x}{3} + \frac{4x^2}{9}$$

$$\frac{9}{12} (1 + \frac{2x}{3} + \frac{4x^2}{9})$$

$$\frac{9}{12} + \frac{1}{2}x + \frac{1}{3}x^2 + x^2$$

$$\frac{7x+2}{2} (x^2+4)^{-1}$$

$$(7x+2)(2)$$

$$(\frac{x^2}{4} + 1)^{-1}$$

$$(1)^{-1} + (1)(-1) (\frac{x^2}{4})$$

$$1 - \frac{x^2}{4}$$

$$(14x+4)(1-\frac{x^2}{4})$$

$$- \frac{4x^2}{4}$$