

**MARK SCHEME for the October/November 2010 question paper  
for the guidance of teachers**

**4024 MATHEMATICS (SYLLABUS D)**

4024/12

Paper 1, maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – October/November 2010	4024	12

### Abbreviations

cao	correct answer only
cso	correct solution only
dep	dependent
ft	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
www	without wrong working
art	anything rounding to
soi	seen or implied

1	(a)	$\frac{17}{21}$ oe	1	
	(b)	$\frac{5}{12}$ cao	1	
2	(a)	70	1	
	(b)	4.05	1	
3	(a)	$7.06 \times 10^{-5}$ cao	1	
	(b)	150	1	
4	(a)	7	1	
	(b)	6	1	
5	(a)	1.65	1	
	(b)	2 : 25	1	
6	(a)	$(2t - 3)(2t + 3)$	1	
	(b)	$(3x - 1)(x + 2)$	1	
7		18	2	or <b>B1</b> for “k” = 2, or for $\frac{y}{50} = \frac{3^2}{5^2}$ oe
8		$(\pm)\sqrt{\frac{y-3}{2}}$ oe e.g. $(\pm)\left(\frac{y-3}{2}\right)^{\frac{1}{2}}$ (sq. root symbol must extend below the fraction line)	2	or <b>C1</b> for $\frac{\sqrt{y-3}}{2}$ or for $\sqrt{\frac{y+3}{2}}$ or for $\sqrt{\frac{3-y}{2}}$ or for $\sqrt{y-3/2}$ oe for all
9	(a)	$(\pm) 5$ cao	1	
	(b)	(i) 6 (ii) (1.5, 0)	1 1	

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – October/November 2010	4024	12

10	(a)	$\frac{4}{5}$ , or 0.8, only	1	
	(b)	$25x^6$ cao	1	
	(c)	$\frac{4}{n^8}$	1	
11	(a)	8	1	
	(b)	{5, 6, 7, 8, 9}	1	
	(c)	$\frac{3}{10}$ or 0.3	1	
12	(a)	$3\frac{1}{2}$ , or $\frac{7}{2}$ , or 3.5, only	1	
	(b)	$12 - 2x$ or <b>any</b> equivalent	2	or <b>C1</b> for $12 - 2$ “y” or <b>any</b> equivalent or <b>C1</b> for $6 - 2x$ , or for any incorrect linear combination of 12 and $2x$ (but not $2$ “y”)
13	(a)	Irrational	1	
	(b)	$(AB^2 =) AC^2 - 5^2$ or $(AB =) \sqrt{AC^2 - 5^2}$ or $AC^2 = AB^2 + 5^2$ . $AC$ must be “their” $\sqrt{89}$ ( $\pm$ ) 8	M1  A1	
14	$x = 9, y = 6$ both		3	or <b>C2</b> for one answer correct; or <b>C1</b> for a pair of values that fits either equation, provided that this pair has been obtained by the method of substitution, equal coeffs., or matrices/determinants and <b>not</b> by trial and error.
15	(a)	$16 (.0)(0)$	1	
	(b)	$75 (.0)(0)$ www	2	or <b>M1</b> for $\frac{60}{0.8}$ oe, e.g. $\frac{3k \times 100}{4k}$
16	(a)	$\begin{pmatrix} -1 & -2 \\ 0 & -2 \end{pmatrix}$	1	
	(b)	$\begin{pmatrix} 0 & -1 \\ -\frac{1}{3} & -\frac{2}{3} \end{pmatrix}$ oe e.g. $-\frac{1}{3} \begin{pmatrix} 0 & 3 \\ 1 & 2 \end{pmatrix}$	2	or <b>B1</b> for $\det \mathbf{A} = -3$ or for $k \begin{pmatrix} 0 & 3 \\ 1 & 2 \end{pmatrix}$ or for $-\frac{1}{3} \begin{pmatrix} \dots & \dots \\ \dots & \dots \end{pmatrix}$
17	(a)	$\begin{pmatrix} 490 \\ 520 \end{pmatrix}$	2	or <b>C1</b> for a $2 \times 1$ matrix with one element correct; or for (490 520)
	(b)	The cost, (in cents), of each bunch. oe	1	Indep. of (a)
18	(a)	$14.7(0)$ cao	1	
	(b)	30	2	or <b>B1</b> for 170 seen in working or in Ans. Space

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – October/November 2010	4024	12

19	(a)	$p = 1, q = 0$	1	
	(b)	(i) $\frac{5}{7}$ (ii) $\frac{2}{7}$ or ft 1 – their (i) or ft $(\frac{1}{7} + \frac{1}{7} \times \text{their } p)$	1 1ft	ft depends on $0 < \text{Ans.} < 1$
20	(a)	$3x > 7$ oe $4x + 4y < 35$ oe	1 1	or <b>C1</b> for $3x \dots 7$ and $4x + 4y \dots 35$ (oe) with incorrect inequalities for ...
	(b)	(5, 3)	1	
21	(a)	$53.35^\circ$	1	
	(b)	$65.15^\circ$	2	or <b>C1</b> for 64.65; or 65.1; or 64.05
22	(a)	(i) 16 000 cao (ii) 0.0030 cao	1 1	
	(b)	50 cao	2	Give 0 for multiplication using either original number. or <b>C1</b> for figs. 5, or 6; or 45; or 48
23	(a)	$123^\circ$	1	
	(b)	$57^\circ$	1	
	(c)	$33^\circ$	1	
	(d)	$66^\circ$	1	
24	(a)	$3p + q$ oe	1	
	(b)	(i) Trapezium (ii) $p + kq$ oe	1 1	
	(iii)	$\frac{1}{3}$	1	
25	(a)	30	2	or <b>B1</b> for $10u$ or $\frac{1}{2} \times 20 \times u$ clearly seen
	(b)	90	2	or <b>C1</b> for 30 (if as the further time from 60) or <b>M1</b> for $100 - \frac{1}{4} \times 40$ , or for $60 + \frac{3}{4} \times 40$
26	(a)	$-\frac{4}{5}$ , or -0.8, only	1	
	(b)	16	3	or <b>M1</b> for $\frac{AC}{\sin b} = \frac{10}{\sin a}$ soi and <b>M1</b> for $AC = \frac{10 \times \frac{24}{25}}{\frac{3}{5}}$ oe

<b>Page 5</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>GCE O LEVEL – October/November 2010</b>	<b>4024</b>	<b>12</b>

<b>27</b>	<b>(a)</b>	3	1	<p>or <b>B1</b> for <math>\frac{A}{360} \times 2 \times \pi \times r</math> with <math>A = 40</math> or <math>120</math>,  <b>and</b> <math>\pi = \pi</math> or <math>3</math> or <math>3.14</math> or <math>\frac{22}{7}</math> etc  <b>and M1</b> for adding the appropriate radii (<math>6r</math> or <math>2r</math>) to their arc(s) <b>and</b> equating to the appropriate wire length (<math>60</math> or <math>20</math>)  <math>(8r = 60, \text{ oe (e.g. } \frac{8}{3}r = 20 \text{ )}, \text{ gets B1 and M1)}</math></p>
	<b>(b)</b>	80	1	
	<b>(c)</b>	$7\frac{1}{2}$ oe	3	